

FIG. 1





FIG. 2



09335329-041701





FIG. 3A**FIG. 3B****FIG. 3C**

FIG. 4






FIG. 5A




FIG. 5B




FIG. 5C




FIG. 5D

FIG. 6

PATIENT'S NAME	IMAGE SENSING DATA	X-RAY DOSAGE	CODE SEQUENCE
----------------	-----------------------	--------------	------------------

T04T40" 625350


FIG. 7

FIG. 8




FIG. 9A




FIG. 9B





FIG. 10

T02F40 62E5B50

FIG. 11




FIG. 12





FIG. 13

FIG. 14A




FIG. 14B




FIG. 14C






FIG. 15A**FIG. 15B**




FIG. 16A




FIG. 16B




FIG. 16C




FIG. 16D

FIG. 17






FIG. 18

FIG. 18

FIG. 19



09835329-041201




FIG. 20A**FIG. 20B****FIG. 20C**


FIG. 21

FIG. 22





FIG. 23



FOOTNOTES

FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30A




FIG. 30B



FIG. 30C



FIG. 30D




FIG. 30E




FIG. 31




FIG. 32

LL	0	0
0	0	
0		0

FO/140" 62E5E360

FIG. 33






FIG. 34

FIG. 34

FIG. 35

FOI b6 b7C 62532860

FIG. 36




FIG. 37

LL	HL2	0
LH2	HH2	
0		0

FOOTNOTES